

The Outrigger Pads high-quality range provides stable support when operating cranes, aerial work platforms and mobile plant. We also supply pads suitable for caravans, motorhomes, RV's and camper vans.



 Light Duty	 Medium Duty	 Heavy Duty
---	--	---

	Size	300-2000mm [L] x 300-2000mm [W] x 30-130mm [H]
	Weight	2.8-584Kg (depending on size and thickness)
	Load	Suggested 5-315 tonnes (depending on size, thickness and ground conditions)
	Features	Surface: Non-slip to retain shape under extreme vertical pressure (square, recessed and circular options available) Handholes: 1-4 (depending on type, which may also be in the form of a handle) Material: High Molecular Weight Polyethylene (HMWPE) or Ultra High Molecular Weight polyethylene (UHMWPE) Colour: Grey / hi-visibility yellow / mottled pattern (dependant on product) Resistant to water, corrosion and splintering
	Storage	Compact, stack on top of each other or contain in stillage (ask for our options)
	Accessories	Smartstore Stillage (20 or 28 pad capacity, only for original and interlocking MultiMat system)

Installation timings

-  Specialist lifting equipment may be required
-  Single installation in 5 mins
-  Multiple pad connection in less than 15 mins

Additional information

For detailed description and delivery options, please visit our website at www.multimatts.co.uk/outrigger-pads

Installation details and visuals are shown in the Product Leaflet.
For alternative products, see categorised items on our website.

Purpose

- ✓ Aids load distribution to outrigger feet
- ✓ Maintains shape under extreme vehicle pressure
- ✓ For use on grass, gravel or soft ground
- ✓ Dissipate downward pressure forces over large surface areas

[Order and Deliver](#)
[View Product Leaflet](#)

* We advise checking any agreed or pre-authorised disclaimers on our website before installing or using any of our products.

Our EcoLift Outrigger Pads are perfect for use with aerial platforms, commercial trailers, skip wagons and rough terrain scissor lifts.



Light Duty

	Size	300-600mm [L] x 300-600mm [W] x 30-50mm [H] - see our website for specific sizes and recessed options
	Weight	2.8-13.5Kg (depending on size and thickness)
	Load	Suggested 5-20 tonnes (depending on size, thickness and ground conditions)
	Features	Surface: Smooth/recessed top and smooth bottom Handholes: 1 (which may also be in the form of a handle) Material: High Molecular Weight Polyethylene (HMWPE) or Ultra High Molecular Weight polyethylene (UHMWPE) Colour: Black Resistant to water, splintering and corrosion For specific material specifications, please contact a member of the team
	Storage	Compact, stack on top of each other or contain in stillage (ask for our options)
	Accessories	N/A

Installation timings



1 person required, easy to carry with handle



Single installation in 1 min

Additional information

For detailed description and delivery options, please visit our website at www.multimatts.co.uk/outrigger-pads/eco-lift-outrigger-pads

For alternative products, see our website for categorised items.

Purpose

- ✓ Robust and stable support to assist with load distribution
- ✓ Use with small to medium sized equipment
- ✓ Tough and stable support for outrigger legs
- ✓ Dissipate downward pressure forces over large surface areas

Order and Deliver

View Product Leaflet

* We advise checking any agreed or pre-authorised disclaimers on our website before installing or using any of our products.



0800 292 2474



sales@multimatts.co.uk



www.multimatts.co.uk



MultiMatts Ltd, 1 Steel Close, Little End Road, Eaton Socon, Cambridgeshire, PE19 8TT

Our Hi-Pro Outrigger Pads are machine recessed and ideal for pedestrianised areas and offer maximum protection when working on high-value flooring in hotels, stately homes and shopping centres.



	Size	400-750mm [L] x 400-750mm [W] x 30-40mm [H] - see our website for specific sizes
	Weight	4.4-21Kg (depending on size and thickness)
	Load	Suggested 8-28 tonnes (depending on size, thickness and ground conditions)
	Features	Surface: Recessed top and smooth bottom Handholes: 1 (which may also be in the form of a handle) Material: High Molecular Weight Polyethylene (HMWPE) or Ultra High Molecular Weight polyethylene (UHMWPE) Colour: Hi-visibility yellow with black underside Resistant to water, corrosion and splintering For specific material specifications, please contact a member of the team
	Storage	Compact, stack on top of each other or contain in stillage (ask for our options)
	Accessories	N/A

Installation timings

-  1 person required, easy to carry with handle
-  Single installation in 1 min

Additional information

For detailed description and delivery options, please visit our website at www.multimatts.co.uk/outrigger-pads/hi-pro-outrigger-pads

For alternative products, see our website for categorised items.

Purpose

- ✓ Robust and stable support to assist with load distribution
- ✓ Use with small to medium sized equipment
- ✓ Extra grip and support for stabiliser foot plates
- ✓ Alerts pedestrians of potential trip hazards in public spaces

[Order and Deliver](#)
[View Product Leaflet](#)

* We advise checking any agreed or pre-authorised disclaimers on our website before installing or using any of our products.

Our Hi-Viz Outrigger Pads can be used in any application where potential hazards may occur. They're particularly effective in public areas such as parking bays, shopping centres and roadsides to alert pedestrians.



 Light Duty	 Medium Duty	 Heavy Duty
---	--	---

 Size	300-1200mm [L] x 300-750mm [W] x 30-60mm [H] - see our website for specific sizes and recessed options
 Weight	2.8-64Kg (depending on size and thickness)
 Load	Suggested 5-90 tonnes (depending on size, thickness and ground conditions)
 Features	Surface: Smooth/recessed top and smooth bottom Handholes: 1 (which may also be in the form of a handle) Material: High Molecular Weight Polyethylene (HMWPE) or Ultra High Molecular Weight polyethylene (UHMWPE) Colour: Hi-visibility yellow with black underside Resistant to water, corrosion and splintering For specific material specifications, please contact a member of the team
 Storage	Compact, stack on top of each other or contain in stillage (ask for our options)
 Accessories	N/A

Installation timings

-  1 person required, easy to carry with handle
-  Single installation in 1 min

Additional information

For detailed description and delivery options, please visit our website at www.multimatts.co.uk/outrigger-pads/hi-viz-outrigger-pads

For alternative products, see our website for categorised items.

Purpose

- ✓ Robust and stable support to assist with load distribution
- ✓ Better alternative to traditional wood and steel alternatives
- ✓ Strong and secure support for outrigger feet and jack legs
- ✓ Alerts pedestrians of trip hazards

[Order and Deliver](#)
[View Product Leaflet](#)

* We advise checking any agreed or pre-authorised disclaimers on our website before installing or using any of our products.

The Caravan & Motorhome Outrigger Pads are available in three styles and provide firm support for caravan, motorhome, RV and camper van jacks and levelling legs on grass, gravel or soft ground.



	Size	200-300mm [L] x 200-300mm [W] x 18-25mm [H] - see our website for specific sizes and flat, stackable and recessed options
	Weight	0.66-2Kg (depending on size and thickness)
	Load	Suggested 1.5-4 tonnes (depending on size, thickness and ground conditions)
	Features	Surface: Smooth/recessed top and smooth bottom Handholes: 1 (which may also be in the form of a handle) Material: High Molecular Weight Polyethylene (HMWPE) or Ultra High Molecular Weight polyethylene (UHMWPE) Colour: Black Resistant to water, oils and chemicals For specific material specifications, please contact a member of the team
	Storage	Compact, stack on top of each other or contain in stillage (ask for our options)
	Accessories	N/A

Installation timings

-  1 person required, easy to carry with handle
-  Single installation in 1 min
-  Multiple pad connection in less than 15 mins

Additional information

For detailed description and delivery options, please visit our website at www.multimatts.co.uk/outrigger-pads/caravan-motorhome-pads

For alternative products, see our website for categorised items.


Purpose

- ✓ Robust and stable support to assist with load distribution
- ✓ User-friendly solution for stabilising motorhomes
- ✓ Strong and secure support for outrigger feet and jack legs
- ✓ Alerts pedestrians of trip hazards

[Order and Deliver](#)
[View Product Leaflet](#)

* We advise checking any agreed or pre-authorised disclaimers on our website before installing or using any of our products.

Our Premium Outrigger Pads have outstanding durability, rigidity and strength to provide additional grip to stabiliser foot plates and come with a lifetime guarantee.



 Light Duty	 Medium Duty	 Heavy Duty
---	--	---

	Size	400-2000mm [L] x 400-2000mm [W] x 40-130mm [H] - see our website for specific sizes, recessed and stowage holster options
	Weight	6.3-584Kg (depending on size and thickness)
	Load	Suggested 12-315 tonnes (depending on size, thickness and ground conditions)
	Features	Surface: Smooth top and smooth bottom (square and circular options available) Handholes: 1-4 (depending on size, which may also be in the form of a handle) Material: High Molecular Weight Polyethylene (HMWPE) or Ultra High Molecular Weight polyethylene (UHMWPE) Colour: Multi-coloured Resistant to water, corrosion and splintering For specific material specifications, please contact a member of the team
	Storage	Compact, stack on top of each other or contain in stillage (ask for our options)
	Accessories	Smartstore Stillage (20 or 28 pad capacity - depending on size option)

Installation timings

-  1 person required, easy to carry with handle
-  Single installation in 1 min
-  Multiple pad connection in less than 15 mins

Additional information

For detailed description and delivery options, please visit our website at www.multimatts.co.uk/outrigger-pads/premium-outrigger-pads

For alternative products, see our website for categorised items.

Purpose

- ✓ Robust and stable support to assist with load distribution
- ✓ Retains shape under extreme vertical pressure with in-built memory technology
- ✓ Strong and secure support for outrigger feet and jack legs
- ✓ Prevents slips

[Order and Deliver](#)
[View Product Leaflet](#)

* We advise checking any agreed or pre-authorised disclaimers on our website before installing or using any of our products.